





REV. NO.	DATE	DESCRIPTION	APP'D	REMARKS
1	-	-	-	-

0



NOTE
 1) LOAD CAPACITY : 900KG/EA
 2) SURFACE TREATMENT : POWDER COATED & ZINC GALVANIZED





PROCESS		GENERAL TOLERANCE									
MATERIAL		MACHINING WORKING		DIE CASTING		ELECTRON BEAMING		PRESS WORKING			
APPROVED BY	CHECKED BY	DRAWN BY	FINISH	PRECISION	GENERAL	FINISH	PRECISION	GENERAL	FINISH	PRECISION	GENERAL
O.C.K	J.Y.H	J.T.H	0.5-6	±0.05	±0.1	0.5-6	±0.05	±0.1	0.5-6	±0.05	±0.1
			6-30	±0.1	±0.2	30-120	±0.15	±0.3	120-400	±0.2	±0.5
			400-1000	±0.3	±0.8						

FOOT MASTER®		FOOMA®		G-DOK IND.	
SERIES NAME	GHP-SERIES	DATE	2024.04.26	GSN NO.	5E321-211111
PRODUCT NAME	GHP-200-ARF-MUD-PEU	SCALE	1/3	DWG. NO.	5E321-211111
PART NAME	ASSEMBLY	WEIGHT	---	REVISION	SIZE A3
		GENERAL TOLERANCE	B	ANGLE	⊕ ⊖

FOOT MASTER G-DOK IND.

REV. NO.	DATE	DESCRIPTION	APP'D	REMARKS
1	-	-	-	-

0



NOTE
 1) LOAD CAPACITY : 900KG/EA
 2) SURFACE TREATMENT : POWDER COATED & ZINC GALVANIZED

PROCESS		GENERAL TOLERANCE																																																																																										
MATERIAL		MACHINING WORKING				DE CASTING				WELDED WORKING																																																																																		
APPROVED BY	CHECKED BY	DRAWN BY	PRODUCT GENERAL TOLERANCE																																																																																									
O.C.K	J.Y.H	J.T.H	<table border="1"> <thead> <tr> <th>CLASS</th> <th>PRECISION</th> <th>GENERAL</th> <th>PRECISION</th> <th>GENERAL</th> <th>PRECISION</th> <th>GENERAL</th> <th>PRECISION</th> <th>GENERAL</th> <th>PRECISION</th> <th>GENERAL</th> <th>PRECISION</th> <th>GENERAL</th> </tr> </thead> <tbody> <tr> <td>0.5 - 6</td> <td>±0.05</td> <td>±0.1</td> <td>±0.1</td> <td>±0.2</td> <td>±0.1</td> <td>±0.2</td> <td>±0.1</td> <td>±0.2</td> <td>±0.1</td> <td>±0.2</td> <td>±0.1</td> <td>±0.2</td> </tr> <tr> <td>6 - 30</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> </tr> <tr> <td>30 - 120</td> <td>±0.15</td> <td>±0.3</td> <td>±0.3</td> <td>±0.4</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> </tr> <tr> <td>120 - 400</td> <td>±0.2</td> <td>±0.5</td> <td>±0.4</td> <td>±0.5</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> </tr> <tr> <td>400 - 1000</td> <td>±0.3</td> <td>±0.8</td> <td>±0.5</td> <td>±0.6</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> <td>±0.1</td> <td>±0.2</td> <td>±0.2</td> <td>±0.3</td> </tr> </tbody> </table>												CLASS	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	0.5 - 6	±0.05	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	6 - 30	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	30 - 120	±0.15	±0.3	±0.3	±0.4	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	120 - 400	±0.2	±0.5	±0.4	±0.5	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	400 - 1000	±0.3	±0.8	±0.5	±0.6	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3
CLASS	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL	PRECISION	GENERAL																																																																																
0.5 - 6	±0.05	±0.1	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2	±0.1	±0.2																																																																																
6 - 30	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3																																																																																
30 - 120	±0.15	±0.3	±0.3	±0.4	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3																																																																																
120 - 400	±0.2	±0.5	±0.4	±0.5	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3																																																																																
400 - 1000	±0.3	±0.8	±0.5	±0.6	±0.1	±0.2	±0.2	±0.3	±0.1	±0.2	±0.2	±0.3																																																																																





NO.	DESCRIPTION	UNIT	Q'TY	MATERIAL	WEIGHT	SPECIFICATION	REMARKS
--	--	--	--	--	--	--	--

FOOT MASTER®		FOOMA®		G-DOK IND.	
SERIES NAME	GHP-SERIES	DATE	2024.04.26	GSN NO.	5E311-211111
PRODUCT NAME	GHP-200-ASF-MUD-PEU	SCALE	1/3	DWG. NO.	5E311-211111
PART NAME	ASSEMBLY	WEIGHT	--	REVISION	SIZE A3
		GENERAL TOLERANCE	B	ANGLE	⚠

FOOT MASTER G-DOK IND. FOOT MASTER G-DOK IND.

REV. NO.	DATE	DESCRIPTION	APP'D	REMARKS
1	-	-	-	-

0



NOTE

- ±1) LOAD CAPACITY : 900KG/EA
- ±2) SURFACE TREATMENT : POWDER COATED & ZINC GALVANIZED

PROCESS		GENERAL TOLERANCE																
MATERIAL		MACHINING WORKING				DE CASTING				ELECTRON MOLDING				PRESS WORKING				
APPROVED BY	CHECKED BY	DRAWN BY	PRODUCT GENERAL TOLERANCE															
O.C.K	J.Y.H	J.T.H	CASTER HEIGHT	WHEEL OUTER DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	WHEEL HUB DIAMETER	WHEEL HUB WIDTH	
			±0.15	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	±0.1	

NO.	DESCRIPTION	UNIT	Q'TY	MATERIAL	WEIGHT	SPECIFICATION	REMARKS
---	---	---	---	---	---	---	---

FOOT MASTER®		FOOMA®		G-DOK IND.	
SERIES NAME	GHP-SERIES	DATE	2024.04.26	GSN NO.	5E331-211111
PRODUCT NAME	GHP-200-BSF-MUD-PEU	SCALE	1/3	DWG. NO.	5E331-211111
PART NAME	ASSEMBLY	WEIGHT	---	REVISION	SIZE A3
		GENERAL TOLERANCE	B	ANGLE	⊕ ⊖

FOOT MASTER G-DOK IND. FOOT MASTER G-DOK IND.